APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	UCI 1 1981
Corrected application filed	Map filed OCT 1 1981 under 44540
146 E. 4th St. Street and No. or P.O. Box No. CA 92370 State and Zip Code No. Place of Use and Point of Di	of Perris City or Town hereby make application for permission to change the Version int of diversion, manner of use, and/or place of use
of water heretofore appropriated under	Permit No. 30921 Jentify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identify right in Decree.)	
2. The amount of water to be changed. 3. The water to be used for	mestic & Irrigation igation, power, mining, industrial, etc. If for stock state number and kind of animals. Domestic & Irrigation Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals. Illowing point. NW4 NW4 Sec. 36 T. 3 S. R. 35 E., Describe as being within a 40-acre subdivision of public survey and by course and com which the NW Cor. of said Sec. 36 bears N 23
7. Proposed place of use See Ex	
Describe by legal su	37.7 ac., SE ₄ SW ₄ - 40 ac., NW ₄ SE ₄ , 40 ac. bdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or 3 S., R. 35 E., M.D.B.& M. creage to be removed from irrigation.
9. Use will be from January 1st	to December 31st of each year. h and Day Month and Day
10. Use was permitted from January	/ 1st to December 31st of each year. Month and Day Month and Day
	nder the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or s	torage works.) Well, pump and irrigation system State manner in which water is to be diverted, i.e. diversion structure, ditches,
pipes and flumes, or drilled well, etc.	,000
	ct works 3 yrs,
13. Estimated time required to construct	U WOIRS

li

of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. Issuance of this permit corrects the acre-foot duty of water under Permit 30921 from 4.0 acre-feet per acre to 5.0 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 44547, 44548, 44549, and 44550 shall not exceed 5,888.5 acre-feet annually. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 2.66 cubic feet per second, but not to exceed 788.5 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with reasonable diligence and be completed on or before. August 25, 1983 Proof of completion of work shall be filed before. September 25, 1983 Application of water to beneficial use shall be made on or before. September 25, 1986 Proof of the application of water to beneficial use shall be filed on or before. September 25, 1986 Map in support of proof of beneficial use shall be filed on or before. September 25, 1986 Completion of work file OCT. 2 1 1963 IN TESTIMONY WHEREOF, I. PETER G. MORROS State Engineer of Nevada, have hereumto set my hand and the seal of my office, this 25th day of AUGUST Dutural map filed. Certificate No	14. Estimated time required to complete the application of water to beneficial use 5 yrs.						
By S/Bruce L. Rice Bruce L. Rice, P.E. Do Box 642 Bridgoport, CA 93517 Protested. APPROVAL APPROVAL OF STATE HNGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 30921 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be to prevent waste. In its source is located within an area designated by the State measurements waste be kept of water placed to beneficial use. The totalizing meter must be installed and maintained of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534,030. The State retains the right to regulate the use of the water breast prevent grant and all times from 4.0 accurate at any and a survey of the proof of completion of work shall duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44544, 44548, 44549, and 44550 shall not exceed 5,888.5 acrefeet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with reasonable diligence and be completed on or before. September 25, 1983 Application of work shell be fined before. September 25, 1986 S	15.						
By s/Bruce L. Rice. Bruce L. Rice, P.E. P.D. Box 642 Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 30921 is issued subject to the terms and conditions imposed in said Permit 30921 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained to prevent waste. In its source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and it limes. Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and it limes. Engineer pursuant confected per ance to 5.0 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 34547, 44348, 44549, and 44550 shall not exceed 5,808.5 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 34547, 44348, 44549, and 44550 shall not exceed 5,808.5 acre-feet annually, and not to exceed a vearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with reasonable diligence and be completed on or before. September 25, 1983 Application of water to beneficial use shall be fil		on applicants' property					
By s/Bruce L. Rice. Bruce L. Rice, P.E. P.O. Box 642 Protested. APPROVAL. APPROVAL. OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 30921 is issued subject to the terms and conditions imposed in said Permit 30921 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well is file to place to be hereficial use. The totalizing meter must be first alled and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is filowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. Issuance of this permit corrects the acre-foot duty of water under Permit 30921 from 4.0 acre-feet per acre to 5.0 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 44547, 44548, 44549, and 44550 shall not exceed 5,888.5 acre-feet annually. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 2.66 cubic feet per second, but not to exceed 788.5 acre-feet_annually_and_not_to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with resonable diligence and be completed on or before September 25, 1983 Application of water to beneficial use shall be filed on or before September 25, 1986 The confliction of work filed OCT 2							
Bridgeport, CA 93517 Protested. APPROVAL	Con	By s/Bruce L. Rice Bruce L. Rice. P.F.					
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to Ochange the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 30921 is issued subject to the terms and conditions imposed in said Permit 30921 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. Issuance of this permit corrects the acre-foot duty of water under Permit 30921 from 4.0 acre-feet per acre to 5.0 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 44547, 44548, 44549, and 44550 shall not exceed 5,888.5 acre-feet annually. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 2.66		Bridgeport, CA 93517					
This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 30921 is issued subject to the terms and conditions imposed in said Permit 30921 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. Issuance of this permit corrects the acree-foot duty of water under Permit 30921 from 4.0 acre-feet per acre to 5.0 acre-feet per acre. In total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 44547, 44548, 44549, and 44550 shall not exceed 5,888.5 acrefeet annually. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 2.66							
This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 30921 is issued subject to the terms and conditions imposed in said Permit 30921 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. Issuance of this permit corrects the acre-foot duty of water under Permit 30921 from 4.0 acre-feet per acre to 5.0 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 44544, 44545, 44546, 44547, 44548, 44549, and 44550 shall not exceed 5,888.5 acre-feet annually. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 2.56	follo	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the					
concerned to exceed 2.66 cubic feet per second, but not to exceed 788.5 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with reasonable diligence and be completed on or before August 25, 1983 Proof of completion of work shall be filed before September 25, 1983 Application of water to beneficial use shall be made on or before August 25, 1986 Proof of the application of water to beneficial use shall be filed on or before September 25, 1986 Map in support of proof of beneficial use shall be filed on or before September 25, 1986 Completion of work filed CT 2.4 1983 IN TESTIMONY WHEREOF, I PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 25th day of AUGUST Cultural map filed. Certificate No	the no well and must of to English from 445	underground source as heretofore granted under Permit 30921 is issued subject to e terms and conditions imposed in said Permit 30921 and with the understanding that other rights on the source will be affected by the change proposed herein. The shall be equipped with a 2-inch opening and a totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and accurate assurements must be kept of water placed to beneficial use. The totalizing meter st be installed before any use of the water begins or before the proof of completion work is filed. If the well is flowing, a valve must be installed and maintained prevent waste. This source is located within an area designated by the State gineer pursuant to NRS 534.030. The State retains the right to regulate the use of water herein granted at any and all times. Issuance of this permit corrects the acre-foot duty of water under Permit 30921 om 4.0 acre-feet per acre to 5.0 acre-feet per acre. The total combined duty of water under Permits 44540, 44541, 44542, 44543, 644, 44545, 44546, 44547, 44548, 44549, and 44550 shall not exceed 5,888.5 acre-					
concerned to exceed 2.66 cubic feet per second, but not to exceed 788.5 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with reasonable diligence and be completed on or before August 25, 1983 Proof of completion of work shall be filed before September 25, 1986 Application of water to beneficial use shall be made on or before September 25, 1986 Map in support of proof of beneficial use shall be filed on or before September 25, 1986 Completion of work filed CT 2.4 1965 To Testimony whereof, I Peter G. Morros State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 25th day of AUGUST Certificate No	The	amount of water to be changed shall be limited to the amount which can be smalled to be excited as					
acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from all sources. Work must be prosecuted with reasonable diligence and be completed on or before. August 25, 1983 Proof of completion of work shall be filed before. September 25, 1986 Proof of the application of water to beneficial use shall be filed on or before. September 25, 1986 Map in support of proof of beneficial use shall be filed on or before. September 25, 1986 Completion of work filed OCT 2 1963 IN TESTIMONY WHEREOF, I. PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 25th day of AUGUST Certificate No							
Application of water to beneficial use shall be made on or before	acr lan	re-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of a irrigated from all sources.					
Proof of the application of water to beneficial use shall be filed on or before September 25, 1986 Map in support of proof of beneficial use shall be filed on or before September 25, 1986 Completion of work filed OCT 2 1963 IN TESTIMONY WHEREOF, I. PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 25th day of AUGUST Ab. 1982	Proo	of of completion of work shall be filed before September 25, 1983					
Map in support of proof of beneficial use shall be filed on or before	App	lication of water to beneficial use shall be made on or before					
Completion of work filed OCT 2 1969 Proof of beneficial use filed Cultural map filed Certificate No	Proo	of the application of water to beneficial use shall be filed on or before September 25, 1986					
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 25th day of AUGUST Certificate No	Мар	in support of proof of beneficial use shall be filed on or before					
Proof of beneficial use filed my office, this 25th day of AUGUST Cultural map filed Sertificate No. Issued Proof of beneficial use filed my office, this 25th day of AUGUST Ab. 19 82		State Engineer of Nevada, have hereunto set my hand and the seal of					
Cultural map filed		of beneficial use filed					
		ral map filed					
2407 (Rev. 6-81)		July 1. Mary 1					

EXHIBIT "A"

Applicants:

Frank E. Smith (1/3 interest)

Russell F. & Betty L. Schlundt (1/3 interest)

Howard A. & Christena L. Schlundt (1/6 interest)

Howard A. Schlundt (1/6 interest)

EXHIBIT "B"

Proposed Place of Use

Acres	Subd.	Sec.	<u>T.</u>	<u>R.</u>
40.0	SW4 NE4	14	3S.	35E.
80.0	N¹₂ SE¹₄	14	35.	35E.
40.0	SE' SE'	14	35.	35E.
80.0	E's NE's	23	3S.	35E.
120.1	SE'a	23	3S.	35E.
80.0	Wiz NWia	24	35.	35E.
160.0	SE ¹ 4	24	35.	35E.
160.0	NW ¹ a	25	35.	35E.
80.0	N ¹ 2 SW ¹ 4	25	3S.	35E.
37.7	SW4 SW4	25	3S.	35E.
40.0	SE¼ SW¾	25	3S.	35E.
80.0	W12 SE14	25	35.	35E.
26.5	NE' NE'	26	3S.	35E.
16.6	SE' NE'	26	3S.	35E.
7.8	NE' SE'	26	3S.	35E.
29.0	NW14 NW14	36	3S.	35E.
20.0	SW4 NW4	36	35.	35E.
80.0	E12 NW14	36	35.	35

1177.7 Ac.